

*Shower
Stall
Doors
and
Shields
by*
ZOURI



Digitized by:



ASSOCIATION FOR PRESERVATION TECHNOLOGY

www.apti.org

For the

BUILDING TECHNOLOGY HERITAGE LIBRARY

<https://archive.org/details/buildingtechnologyheritagelibrary>

From the collection of:



SOUTHEASTERN ARCHITECTURAL ARCHIVE
SPECIAL COLLECTIONS
HOWARD-TILTON MEMORIAL LIBRARY

<http://seaa.tulane.edu>

Shower Stall Doors and Shields

by
ZOURI

ZOURI DRAWN METALS COMPANY
Factory and General Offices - CHICAGO HEIGHTS - ILLINOIS

Associated Companies
International [
Zouri Drawn Metals Company
International Store Front Company
Standard Store Front Construction Co.
Modern Bronze Store Front Company
Zouri Company of California
Zouri Drawn Metals Co., of New York, Inc.] Distribution

SHOWER STALL DOORS AND SHIELDS BY ZOURI



The Portal to the Shower of Luxury

The trend in recent years in making the home more attractive and more livable, has been of a definitely progressive nature. In the bath, the use of beautifully shaded tile and vitreous glass has made possible a room which is truly a work of art.

A growing appreciation of the pleasure and sanitation possible with a shower has made the Shower Stall an integral part of the modern bath room.

A Zouri Door, enclosing clear, polished plate glass in a frame of polished nickel, chromium or gold plated bronze, to match plumbing fixtures, provides the final touch of gleaming beauty to the luxury of today's bathroom.

Specifications

DETAILS OF CONSTRUCTION

Material

Frame of door manufactured from 14 (B&S) gauge seamless bronze or nickel silver tubing, grille bars, securely welded into same; glass retaining mouldings, adjustable to different thicknesses of glass. Angle door jambs made from extruded bronze or extruded nickel silver covering joints between door and jamb. Thick felt caulking strips included for insertion between tile and jambs.

Hardware

One continuous piano hinge. Cast bronze or nickel silver door pulls, standard equipment. Glass knob outside, metal offset handle inside optional. Necessary screws are furnished.

Finishes

Bronze, satin finish.
Duplex nickel plated.
Nickel silver highly polished.
Chromium plated over nickel.
Licensed chromium plating equipment is completely installed in our plant, and is reputed one of the largest in the west. Silver and gold plated doors can be furnished if desired.

Construction

The use of a hollow rectangular tube as the door frame prevents winding, bending and the resultant glass breakage. The glass is set in approved type glazing moulds of extruded bronze. These moulds are easily removable in case it becomes necessary to replace the glass. No screws are visible on the outside of the door. Doors are neatly mitred at the corners. A splash shield is fixed at the base of the inside of the door. A rubber strip, bound in metal, adjustable as to height, fixed at the base of the door, prevents seepage of water to the outside.

Erection

Tile jambs should be plumb and true and the base sloped inward. Metal angle jambs with felt strips should be attached to tile with wood screws to make water tight contact.

Note

No steel or iron used in construction of our Shower Bath Doors. They are substantially built, of lasting quality and excellent appearance.

Where desired, a steel template can be furnished, which, when used to frame the tile, insures a perfect fitting door installation.

Chromium Plating

Our chromium plating equipment has been installed under the direction of, and its operation is supervised by, an international technical organization that has been pioneers in this process. In other words, our chromium plating is more than the mere application of chromium plate on a surface, but rather is the highest development in plating practice.

SHOWER STALL DOORS AND SHIELDS BY ZOURI




TYPE 'A'


Standard Sizes, 24 x 72, 27 x 72 and 27 x 78 inches

The necessity of conserving space often precludes the installation of a tub bath. Frequently the choice of an owner is a shower with its invigorating effects. Today's mode of living often requires an extra bath.

In any instance, the utilization of a shower stall makes possible a compact bathroom, in perfect taste. The accompanying floor plan is an example.




SHOWER STALL DOORS AND SHIELDS BY ZOURI



TYPE B


Standard Sizes 24 x 64, 27 x 64 and 27 x 70 inches



Many architects find it possible to use an arched tile opening to the shower stall. This design of entrance finds increasing favor in higher class residences and in co-operative apartments. It eliminates the need of a grille top and makes possible the use of this Zouri Door with its decorative metal crest.

Ribbon mitred glass, as shown above, may be had in any Zouri door at a slight additional cost.


SHOWER STALL DOORS AND SHIELDS BY ZOURI




TYPE C

Standard Sizes, 24 x 64, 27 x 64 and 27 x 70 inches

Zouri quality in every detail is shown here in its most inexpensive rendering. There is a eight inch clear opening at the top. The elimination of grille or crest makes possible the saving.




SHOWER STALL DOORS AND SHIELDS BY ZOURI




Modernistic, by Zouri

The modernistic note is maintaining its deserved popularity in architecture. Zouri Modernistic Doors are built to order and may be had in almost any interpretation of modernistic design, of which this illustration is but one example.




A smart arrangement of conveniences that lends itself to the new mode.

SHOWER STALL DOORS AND SHIELDS BY ZOURI



Zouri Shower Shield TYPE X

Where the advantages of the invigorating shower are desired, without the expense of a tile shower stall, the Zouri Shower Bath Shield may be used with a standard tub. A substantial tube anchors the upper corner to the wall. Standard size 32 x 50 inches.



SHOWER STALL DOORS AND SHIELDS BY ZOURI



Zouri Shower Bath Enclosure

TYPE Y

A unique installation for the more luxurious home. Two hinged doors provide easy access to the tub. Zouri's Chromium Plating equipment, using the licensed solution, is sufficiently large to plate the entire frame after it is made. It assures this modern finish at its best.



Standard height of door, 60 inches.

Width is governed by size of tile opening.

May be had with or without grille.


Height of grille is optional.

SHOWER STALL DOORS AND SHIELDS BY ZOURI




Club Shower Stalls

The exclusive club is paying more attention to shower accommodations for its members. A battery of all metal and glass shower stalls, adds smartness to the refreshing shower after golf. Clear plate glass may be used in the doors. Obscure wire glass or colored vitreous glass may be used in the stall partitions.





SHOWER STALL DOORS AND SHIELDS BY ZOURI



TILE FRAMING SCHEDULE

TYPE A	
DOOR SIZE	TILE OPENING
24" X 72"	24 $\frac{13}{16}$ " X 72 $\frac{13}{16}$ "
27" X 72"	27 $\frac{13}{16}$ " X 72 $\frac{13}{16}$ "
27" X 78"	27 $\frac{13}{16}$ " X 78 $\frac{13}{16}$ "
TYPE B	
DOOR SIZE	TILE OPENING
24" X 64"	24 $\frac{13}{16}$ " X 64 $\frac{3}{16}$ "
27" X 64"	27 $\frac{13}{16}$ " X 64 $\frac{3}{16}$ "
27" X 70"	27 $\frac{13}{16}$ " X 70 $\frac{3}{16}$ "
NOTE: TYPE B: TILE OPENING HEIGHT TAKEN TO BOTTOM OF ARCH	
TYPE C	
DOOR SIZE	TILE OPENING
24" X 64"	24 $\frac{13}{16}$ " X 72"
27" X 64"	27 $\frac{13}{16}$ " X 72"
27" X 70"	27 $\frac{13}{16}$ " X 78"



SHOWER STALL DOORS AND SHIELDS BY ZOURI

Suggestions for Ordering

Complete information will enable us to serve you intelligently. In ordering or requesting further details concerning Zouri Shower Stall Doors or Shields, please give us the desired specifications from the following list.

Shower Stall Doors

Size Daylight size tile opening.
Door Height, Types B and C.

Finish Bronze, satin finish.
Duplex nickel plated.
Nickel silver.
Chromium plated.

Hinge Right or left facing door.
Doors to open in or out.

Type Specify by letters shown below illustrations on preceding pages.

Glass Glazed with polished plate glass.
Unglazed.
Special glass.

Handles Offset handles.
Glass knobs.
One of each.

Template Template desired for framing tile.

Shipment Freight, express, or how?

Shower Bath Shields

Size Overall width and height.
Tile opening width if Type Y.
Tile opening height if Type Y with grille.

Finish Bronze, satin finish.
Duplex nickel plated.
Nickel silver.
Chromium plate.

Location To be attached to tub in right or left hand corner.
If Type Y, are double hinged doors to be on right or left?

Glass Glazed with polished plate glass.
Unglazed.
Special glass.

Handles Offset handles, if Type Y.
Glass knobs, if Type Y.
One of each, if Type Y.

Shipment Freight, express, or how?

ZOURI DRAWN METALS COMPANY
CHICAGO HEIGHTS, ILLINOIS



Zouri Drawn Metals Plant at Chicago Heights, Illinois.

